E.Mail: piicestate2021@gmail.com

# TENDER NOTIFICATION FOR PROVIDING EPOXY FLOORING AT VARIOUS LABORATORIES OF PASTEUR INSTITUTE OF INDIA, COONOOR, THE NILGIRIS.

# BID REFERENCE NO. PII/ESTATE/01/EPOXY PAINTING/2022-23 DATED 04/01/2023.

Tenders are invited by the undersigned from reputed Indian companies / agents for

# SUPPLY AND LAYING OF 03MM THICKNESS EPOXY FLOORING TO PASTEUR INSTITUTE OF INDIA, COONOOR

Details of the Tender, terms and conditions for submission of tender are available our website <a href="www.pasteurinstituteindia.com">www.pasteurinstituteindia.com</a> and CPP Portal eprocure.gov.in

Corrigendum/amendments, if any will be posted only on the above websites.

Sd/-DIRECTOR.

# LIMITED TENDER NOTIFICATION FOR THE LAYING OF 03MM THICKNESS EPOXY FLOORING

# BID REF NO.PIIC/TENDER/ESTATE/01/2022-23 DATED 04/01/2023

#### **INTRODUCTION OF THE COMPANY**

The Institute started functioning as Pasteur Institute of Southern India, on 6th April 1907 and the Institute took a new birth as The Pasteur Institute of India (registered as a society under the societies Act 1860) and started functioning as an autonomous body under the Ministry of Health and Family Welfare, Government of India, New Delhi since the 10th of February, 1977. A governing body manages the affairs of the Institute. The Institute is a charitable organization working on a no profit-no loss basis.

Pasteur Institute of India (PIIC), Coonoor is one of the leading organizations which are into the production of Anti rabies Vaccine and DPT group of Vaccines for the EPI programme of Govt. of India.

The scope of supply involved is detailed in the subsequent paragraphs and is precise to the extent possible.

#### **SCOPE OF SUPPLY**

The scope of work is **LAYING OF 03MM THICKNESS EPOXY FLOORING** at various Laboratories in Pasteur Institute of India, Coonoor as detailed below:

- Epoxy recoating on existing epoxy flooring, viz. scraping and cleaning and painting on the existing floor surface: 2000 Sq.ft. (Approx)
- Providing, laying and carry out epoxy primer coat of 200 micron thickness and to apply as per manufacturing specification, providing and applying screed with minimum 1 mm thickness and carry out epoxy top coat of minimum 02mm thickness. : 3000 Sq.ft. (Approx)
- Rectification of undulation up to 3mm thickness using epoxy screed filter (coving work at wall and floor connecting portion): 3000 R.Ft. (Approx)

#### **DETAILS REGARDING IMPORTANT DATES ARE AS FOLLOWS:**

Description	Schedule
Closing date & time for receipt of Tender	03/02/2023, 15.00 Hrs
Time and date of opening of Bids	03/ 02/2023, 15:30 Hrs
Venue of opening of Tender	PASTEUR INSTITUTE OF INDIA, COONOOR.

#### (PHONE: 0423-2231250)

#### TERMS AND CONDITIONS

#### **Scope of Work:**

# Laying of epoxy coating flooring in different Laboratories.

- Epoxy recoating on existing epoxy flooring, viz. scraping and cleaning and painting on the existing floor surface with same colour: 2000 Sq.ft. (Approx.)
- Epoxy floor re-toping by providing, laying and carry out epoxy primer coat of 200 micron thickness and to apply as per manufacturing specification, providing and applying screed with minimum 1 mm thickness and carry out epoxy top coat of minimum 02mm thickness with the existing colour: 3000 Sq.ft.
- Rectification of undulation up to 3mm thickness using epoxy screed filter (coving work at wall and floor connecting portion): 3000 rft.
  - Chemical resistant, anti-corrosive, anti-skid and electric resistant solvent free Epoxy
    Insulation Coating designed to be applied on Floor as an insulation mat for high level of
    insulation.
  - ii. Colour of the Epoxy coating is indicative only. However, the vendor has to match the colour of the Epoxy laying with the existing flooring.
  - iii. Load bearing capacity of Epoxy coating: Traffic with trolley movement with 300 Kg. weight and human traffic will be minimum around 5 persons average.
  - iv. Life of coating should be of not less than 5 Years. An undertaking or Original manufacturer and Supplier shall be submitted on company letter head with the bid.
  - v. Any peeling is observed during these 05 years should be rectified by supplier on free of
  - vi. The product make should be ISO approved or any other certified agencies.
- 1. Cost of the work would be around 10.00 lakhs rupees approximately. The rate offered should be inclusion of Materials, Labour, Accommodation.
- 2. The bidder should have minimum 2 years experience in this type work/similar work done for any Government Department/Organization/Company/Public Sector/Autonomous Body and pharmaceutical companies.
- 3. The Quantity given in the bid is only tentative and exact quantity will be known and accounted only after completing the entire work.
- 4. The bidder is solely responsible for SAFETY of Manpower & Material. Accordingly, the contactor must follow all safety rules & regulations of Laboratory Safety Laws in force and Government rules from time to time.
- 5. If the work is not found satisfactory or not progressing according to schedule given by bidder, PIIC will reserves its right to terminate the contract and may take such action as may be deemed fit to see that the work is completed on time at the vendor's risk & Cost.

(PHONE: 0423-2231250)

- 6. The successful bidder must have to supply sample material along with the Test Results/Reports of given sample before commencing the work. The total supply / laying of material must be done only after approval of sample material.
- 7. The vendor must have valid registration or trade license to carry /supply the said item. (Shops and Establishment Registration of GST Registration or Registered under certain enactment or any other certificate issued by Government or Government Agency). Copy should be submitted along with the bid.
- 8. The Vendor must have GST No., PAN No. and Bank account in any of the Nationalized Banks/Scheduled Banks. (In case of Ltd., Pvt. Ltd.,/Partnership Firm, the PAN and Account shall be in the name of the Firm/Company and in case of Individual Ownership, the PAN and account may be in the name of Owner).
- 9. The vendors are welcomed to the PIIC's site on all working days from 10.00 a.m. to 5.00 p.m. to know about the nature of work to be committed and for any clarifications before submitting the tender.

#### 10. Bid Security:

Successful bidder shall be required to furnish Security Deposit/Performance Security within 15 days of issuance of work order by PIIC and before commencement of work. Amount of Security Deposit/Performance Security shall be 10% of the work order value i.e. Rs. 1.00 lakhs approx. The Security Deposit shall be deposited by successful bidder in the form of Demand Draft/RTGS Payment PIIC Bank Account and shall remain valid for a period of 12 months as detailed below:

- i. 10% of Bid Security i.e. Rs. 1,00,000/- (Rupees one lakh only) shall be paid by the bidders in the form of Demand Draft in favour of the Director, Pasteur Institute of India, Coonoor/RTGS payment to this Institute Account.
- ii. No interest shall be payable on Bid Security.
- iii. Bid Security will be released on completion of the work to our satisfaction.

#### 11. Exemptions/Forms

- i. PIIC will not be giving any duty exemption, GST Concession form.
- ii. The tenderers who are currently registered and, also, will continue to remain registered during the tender validity period with Directorate General of Supplies & Disposals or with National Small Industries Corporation, New Delhi shall be eligible for exemption from EMD. In case the tenderer falls in these categories, they should furnish copy of the valid registration details (with DGS&D or NSIC, as the case may

(PHONE: 0423-2231250)

- 12. If the successful bidder fails to fulfill the obligation under this Tender, i.e. Non-adherence to terms and conditions contained in this tender, PIIC after due notice to the supplier/agency, may black list the supplier/agency and the contract will stand terminated automatically.
- 13. The tendering firm will have to give an undertaking that they have not been blacklisted by their business dealings with the government departments and have not been debarred. This undertaking should be furnished in the format given in Annexure-I attached to this Tender document.
- 14. Bidders shall furnish their compliance for the item specification as per Annexure-II.
- 15. While submitting the tender, the tender will be deemed to have read, understood and accepted all the terms and conditions stated in the tender document and shall be complied with.
- 16. Tenderers will be evaluated on the basis of documentary evidence submitted for Registration/GST Registration, PAN Card, Undertaking as per Annexure-I, Vendor Qualification form (As per enclosure) and tender validity.
- 17. Tender will be finalized on the basis of lowest total unit rate quoted and fulfillments of other terms and conditions of the tender.
- 18. Tender shall be sent through a sealed cover specifying the name of the tender, date and time of submission and due date.
- 19. Tender must reach this office not later than the time and date notified in the tender form stated in the Schedule of Tender. In this event of tender received after scheduled date and time, the tender will not be allowed in bidding and it will be rejected summarily.
- 20. Each page of the Tender and all is annexure shall be signed and stamped by authorized representative of Tenderer in token of acceptance of the terms and conditions laid under the Tender Document. No pages should be removed/detached from the tender document.
- 21. All entries in the Tender form shall be legible and filled clearly. Any over writing or cutting which is unavoidable shall be signed by the authorized signatory.
- 22. Tender incomplete in any form will be rejected out rightly.
- 23. Conditional Tenders will be rejected out rightly
- 24. Validity of bids is 120 days from the date of opening the bid.

- 25. Annexure enclosed received without the signature of authorized signatory will not be entertained and will be rejected summarily.
- 26. Tenders not received in the prescribed format shall be ignored and no correspondence in this regard will be entertained.
- 27. Canvassing, in any form by the tenderer or his representative with any of the officials of PIIC Staff shall render the tender liable to be rejected.
- 28. This tender or contract and both are non-transferrable.
- 29. Rates for Laying to be quoted in the prescribed format only given in Annexure-III attached to the Tender Document.
- 30. The rates quoted by the selected firm and approved by this office shall remain valid for a period of 12 months from the date of placement of order.
- 31. Checklist as in Annexure-IV to be submitted along with the tender.

#### 32. ACCEPTANCE OF TENDER:

PIIC reserves the right to accept or reject in part or whole, any or all the tenderers received without assigning any reason, whatsoever, PIIC is not bound to accept the lowest tender. The decision of PIIC in this regard shall be final and binding on all bidders.

#### 33. OPTION CLAUSE

- i. The quantity mentioned in the tender is approximate only and may increase or decrease by 25%
- ii. 25% of the quantity orders, will be applicable as repeated order.

#### 34. TERMS OF PAYMENT

100% payment will be made after completing the laying the epoxy coating work and on receipt of acceptability from user end, against submission of Tax Invoice.

(PHONE: 0423-2231250)

#### 35. FORCEMAJEURE CLAUSE:

If at any time during the continuance of the contract the performance in whole or part by either party of any obligation under the contract shall be prevented or delayed by reasons of war, hostility acts of public enemy, civil commotion, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes, lockouts, or acts of God (Hereinafter referred to as events) hen provided notice of the happenings of any such events if given by either party or the other within twenty one days from the date of occurrence thereof, neither party shall by reasons of such event, be entitled to terminate the contract not shall either party have any claim for damage against the other whether in respect of such non-performance or delay in performance.

Deliveries or acceptance of deliveries under the contract shall be resumed as soon as practicable after such event has come to an end or creased to exist and the decision of PIIC as to whether the deliveries or acceptance of deliveries have to be so resumed or not shall be final and conclusive, provided further if the performance in whole or part or any obligation under the contract is prevented or delayed by reasons of any such event for period exceeding 60 days either party may at its option terminate the contract.

#### 36. ARBITRATION CLAUSE:

Except, as otherwise provided elsewhere in the contract, if any dispute, difference, question, or disagreement arises between the parties hereto or their respective representative or assignees, at any time, in connection with, meaning, operation, effect, interpretation or out of the contract or beach thereof, the same shall be referred to decide by an Arbitrational Tribunal consisting of three arbitrators. Each party shall appoint one arbitrator and arbitrators so appointed shall appoint third arbitrator who will act as Presiding arbitrator. Subject as aforesaid the Indian Arbitration and Conciliation Act, 1996 shall apply to the arbitration proceedings under the Contract.

#### 37. JURISDICTION:

The successful bidder, hereby, agrees that the Courts situated in Nilgiris / Tamilnadu alone shall have the jurisdiction to hear and determine all actions and proceedings arising out of this contract. This Agreement is subject to the special conditions stipulated in our schedule and issued work order and subsequent amendments, if any, notified from time to time.

#### TENDER NO. PII/ESTATE/01/EPOXY PAINTING/2022-23 DATED 04/01/2023

#### LAYING OF EPOXY FLOORING

#### **UNDERTAKING**

- I / We the undersigned, certify that I / We have gone through the terms and conditions mentioned
  in the tender document and committed to comply with them.
- 2. The rates quoted by me / us are valid and binding upon me / us for the entire period of contract and it is certified that the rates quoted and the lowest quoted for any other institution/hospital in India. It is also certified that item quotes are of Standard Quality and workmanship.
- I / We hereby undertake to supply the items as per directions given in the tender document / supply order within the stipulated period.
- 4. I / We give the rights to Director, PIIC to forfeit the security money deposited by me / us, if any, delay occurs on my / our part of failed to fulfill the terms and conditions stipulated in this Tender.
- 5. There is no vigilance / CBI case or Court case pending against me / us / firm.
- 6. It is to declare & certify that neither myself nor my firm has ever been blacklisted by Government Departments/Public Sector Units/Autonomous Bodies/ any other agencies.
- 7. I / We hereby certify that the firm possess all the required license / certification to perform the work.

Date:	Signature of Tenderer
Place:	Full name & Address with Seal

# TENDER NO. PII/ESTATE/01/EPOXY PAINTING/2022-23 DATED 04/01/2023

# LAYING OF EPOXY FLOORING

#### **COMPLIANCE SHEET**

Sl.	Tender Specification	Vendor	Remarks, if
No.		Specification	any
i.	Leveling existing epoxy flooring:		
	Scraping and cleaning the existing floor surface.		
	Complete surface preparation must be done for		
	insulation of Floor.		
ii.	Providing, laying and carry out epoxy primer coat of		
	200micron thickness and to apply as per manufacturing		
	specification, providing and applying screed with		
	minimum 1mm thickness and carryout epoxy top coat		
	of 2mm thickness		
iii.	Chemical resistant, anti-corrosive, anti-skid and		
	electric resistant solvent free Epoxy Insulation Coating		
	designed to be applied on Floor as an insulating mat for		
	high level of insulation.		
iv.	Colour of the Epoxy coating is indicative only.		
	However, the vendor has to match the colour of the		
	Epoxy laying with he existing flooring		
v.	Load bearing of Epoxy coating:		
	Traffic will be trolley movement with 300Kg. weight		
	and human traffic will be minimum around 5 persons		
	average		
vi.	Life coating should be 05 years. An undertaking of		
	Original manufacturer and Supplier shall be submitted		
	on company letter head with the bid.		
vii.	Any Peeling off is observed during these 05 years		
	should be rectified by supplier on Free of Cost.		
viii.	The Product make should be ISO approved or any		
	other certified agencies		

Date:	Signature of Tenderer
Place:	Full name & Address with Seal

# TENDER NO. PII/ESTATE/01/EPOXY PAINTING/2022-23 DATED 04/01/2023

#### LAYING OF EPOXY FLOORING

1.	Name of the Firm	
2	Nature of the Firm (Limited Company, Partnership firm, Co-op. Society or Sole Proprietor, Photocopies of documents confirming constitution of the firm to be enclosed)	
3	Year of Establishment	
4	Registration / GST Registration	
5	Registered Postal Address	
6	Telephone/Mobile No.	
7	E.mail ID	
8	PAN No	
9	Name of bankers & Branch with full address	
10	Type of Account and Account No.	
11	Were you associated with PIIC in any other contract in the past?	YES / NO
12	Are you currently having any contract with PIIC?	YES / NO
13	Are you on the approved list of other Pharma /Vaccine companies / Public Sector Undertakings / Govt. Dept. etc. If so, furnish copies of Certificate certifying your performance	YES / NO
14	Confirmed that Bank Guarantee will be provided for the Security Deposit / Performance Guarantee.	YES / NO
NOTE	The bidder has to fill up the above details and enclose the supporting documents along with Tender	

Date:	Signature of Tenderer

Place: Full name & Address with Seal

#### TENDER NO. PII/ESTATE/ 01/EPOXY PAINTING/2022-23 DATED 04/01/2023

#### LAYING OF EPOXY FLOORING

#### Schedule - I

(to be submitted in the letter head of Tenderer)

Sl. No.	Item Description	Unit	Unit Price Rs. P.	GST @%	Total rate with GST Rs. P.
1	Epoxy recoating on existing epoxy flooring, viz. scraping and cleaning and painting on the existing floor surface	Sqft.			
2	Epoxy Floor re-toping by providing, laying and carry out epoxy primer coat of 200 micron thickness and to apply as per manufacturing specification, providing and applying screen with minimum 1 mm thickness and carryout epoxy top coat of 2mm thickness.	Sqft.			
3	Rectification of undulation up to 3mm thickness using epoxy screed filter (coving work at wall and floor connecting portion)	rft.			

#### NOTE:

- ➤ The components used should be certified eco-friendly, self-leveling materials with smooth glossy. The cost includes supply of materials, labour charges, etc., complete.
- ➤ The Approximate quantity is around 3000 Sqft. However, the actual quantity will be known after completing the work.
- ➤ The Quantity mentioned above is approximate and the actual quantity will be known only after completing the work.
- ➤ The selection of L1 bidder will be on the basis of lowest total unit rate quoted exclusive of GST.
- Rate shall be quoted indicating the breakup of cost & GST in Indian Rupees only.

Date:	Signature of Tenderer
Place:	Full name & Address with Seal

# TENDER NO. PII/ESTATE/01/EPOXY PAINTING/2022-23 DATED 04/01/2023

#### LAYING OF EPOXY FLOORING

#### **CHECK LIST**

# (to be submitted along with bid)

Sl. No.	Description	Indicate Yes/No	Page No.
1	Tender cover shall be superscribed with Tender No. & Date		NA
2	Copy of Registration No./PAN/GST No. enclosed		
3	Tender Validity for 120 days		
4	Sealed and signed copy complete Tender Document along with Technical Bid as a token of acceptance of all Terms & Conditions enclosed		
5	EMD/Bid Security submitted		
6	All documents enclosed with bid should be clearly numbered and indexed		
7	Undertaking to be submitted (Annexure-I) on the Letter Head		
8	Compliance Sheet to be submitted (Annexure-II) on the Letter Head		
9	Price Bid to be submitted (Annexure – III) on the Letter Head		

NOTE: The above check list must be submitted along with Bid.

Signature of Tenderer